

Lacertidae-Literatur 1996 / 97

Zusammengestellt von BRIGITTE BANNERT, Berlin, WERNER MAYER, Wien
und WOLFGANG BISCHOFF, Bonn

- ARNOLD, E.N. (1996): The role of biological process in phylogenetics with examples from the study of lizards. – Mem. Soc. Ital. Sci. Natur. Mus. Civ. Milano, **27**: 9-20.
- ARRAYAGO, M.J., A. BEA & B. HEULIN (1996): Hybridization experiment between oviparous and viviparous strains of *Lacerta vivipara*: a new insight into the evolution of viviparity in reptiles. – Herpetologica, **52**: 333-342.
- ARRIBAS, O.J. (1996). Taxonomic revision of Iberian 'Archaeolacertae' 1.: A new interpretation of the geographical variation of '*Lacerta monticola*' BOULENGER, 1905 and '*Lacerta cyreni*' MÜLLER & HELLMICH, 1937 (Squamata: Sauria: Lacertidae). – Herpetozoa, **9**: 31-56.
- ASHE, J. & S. ASHE (1996): Some notes on *Gastropholis prasina*. – EANHS Bull., **25**: 54-55.
- BAHA EL DIN, S.M. (1996): The occurrence of *Acanthodactylus longipes* BOULENGER, 1918 in Egypt, with remarks on IST identification and ecology. – Zool. Middle East, **12**: 53-58.
- BANNERT, B. (1996): Teneriffa (II) – Die vielfältigen Lebensräume auf einer kleinen Insel. – TI-Magazin, Melle, **28**(129): 61-65.
- BARKER, M.A. & D.D. HOBSON (1996): Artificial Refuges with Transects as a Possible Reptile Survey Methodology. – Br. Herpetol. Soc. Bull., **55**: 8-14.
- BATES, M.F. (1996): New reptile distribution records for the Free State province of South Africa. – Navor. nas. Mus., Bloemfontein, **12**(1): 1-47.
- BÄUERLE, A. & P. VOSS (1996): Giglio – ein Naturparadies. – Aquar.-Terrar.-Z., **49**(7): 455-458.
- BAUWENS, D., P.E. HERTZ & A.M. CASTILLA (1996): Thermoregulation in a lacertid lizard: the relative contributions of distinct behavioral mechanism. – Ecology, **77**: 1818-1830.
- BEJAKOVIC, D., I. ALEKSIC, J. CRNOBRNJA-ISAILIVIC, G. DZUKIC & M.L. KALEZIC (1996): Reproductive cycle and clutch size in female sharp-snouted rock lizards, *Lacerta oxycephala*. – Amphibia-Reptilia, **17**: 73-77.
- BEJAKOVIC, D., I. ALEKSIC, J. CRNOBRNJA-ISAILIVIC, G. DZUKIC & K.L. KALEZIC (1996): Female reproductive traits in the common wall lizard (*Podarcis muralis*) from the Skadar Lake region, Montenegro. – Rev. Espan. Herpetol., **10**: 91-96.
- Bejakovic, D., I. Aleksic, A. Tarasjev, J. Crnobrnja-Isailivic, G. Dzukic & K.L. KALEZIC (1996): Life history variation in a community of lacertid lizards from the lake Skadar region (Montenegro). – Herpetol. J., **6**(4): 125-132.

- BELLIURE, J., L.M. CARRASCAL & J.A. DIAZ (1996): Covariation of thermal biology and foraging mode in two Mediterranean lacertid lizards. – *Ecology*, **77**: 1163-1173.
- BISCHOFF, W. & J.F. SCHMIDTLER (1996): Herpetologische Reiseindrücke von Syrien und Libanon. – *elaphe* (N.F.), **4**(2): 68.
- Bobyn, M.L., I.S. Darevsky, L.A. Kupriyanova, R.D. MacCulloch, D.E. Upton, F.D. DANIELYAN & R.W. MURPHY (1996): Allozyme variation of *Lacerta raddei* and *Lacerta nairensis* (Sauria: Lacertidae) from Armenia. – *Amphibia-Reptilia*, **17**: 233-246.
- BÖHME, W., H. MEINIG & M.-O. RÖDEL (1996): New Records of Amphibians an Reptiles from Burkina Faso and Mali. – *Br. Herpetol. Soc. Bull.*, **56**: 7-26.
- BOSCH, H.A.J. IN DEN (1996): Op zoek naar de *Lacerta brandtii*. – *Lacerta*, **54**: 121-128.
- BOSCH, H.A.J. IN DEN & E.N. ARNOLD (1996): De Algerejnse Roodstaartfranjeteenhagedis (*Acanthodactylus erythrurus belli*): voortplanting en staartkleur jongen. – *Lacerta*, **54**: 153-160.
- BRANA, F. (1996): Sexual dimorphism in lacertid lizards: male head increase vs female abdomen increase? – *Oikos*, **75**: 511-523.
- BRANCH, W.R. & A.M. BAUER (1995): Herpetofauna of the Little Karoo, Western Cape, South Africa with notes on life history and taxonomy. – *Herpetol. Natur. Hist.*, **3**: 47-89.
- BRITO, J.C., F. BRITO E ABREU, O.S. PAULO, H.D. ROSA & E.G. CRESPO (1996): Distribution of Schreiber's green lizard (*Lacerta schreiberi*) in Portugal: a predictive model. – *Herpetol. J.*, **6**(2): 43-47.
- CAPULA, M. (1996): Evolutionary genetics of the insular lacertid lizard *Podarcis tiliguerta*: genetic structure and population heterogeneity in a geographically fragmentated species. – *Heredity*, **77**: 518-529.
- CASTILLA, A.M. (1996): Temperature selection for egg incubation by the lizard *Podarcis hispanica atrata*. – *Herpetol. J.*, **6**(4): 133-136.
- CASTILLA, A.M. & J.G. SWALLOW (1996): Thermal dependence of incubation duration under a cycling temperature regime in the lizard *Podarcis hispanica atrata*. – *J. Herpetol.*, **30**: 247-253.
- CASTILLA, A.M. & R. VAN DAMME (1996): Cannibalistic propensities in the lizard *Podarcis hispanica atrata*. – *Copeia*, **1996**: 991-994.
- CEI, J.M., W. BÖHME, C. CORTI & M. ALBANO-BARRAGAN (1996): Notes on the systematic value of tongue morphology in different genera and species groups of lacertid lizards (Reptilia: Lacertidae). – *Bull. Mus. Reg. Sci. Nat. Torino*, **14**: 339-364.
- CLARK, R. (1996): Some Notes on the Reptile Fauna of Fournoi Ikaria, and Schinoussa, Aegean Sea, Greece. – *Br. Herpetol. Soc. Bull.*, **56**: 35-39.
- CLEMONS, J. & M. LAMBERT (1996): Herpetology in Jersey: A Report of the 1996 Visit to Jersey Organised by the Conservation Committee. – *Br. Herpetol. Soc. Bull.*, **57**: 33-40.
- CROCHET, P.A., V. RUFRAY, J. VIGLIONE & P. GENIEZ (1996): Découverte en France de *Archaeolacerta [bonnali] aurelio* (ARRIBAS, 1994) (Reptilia, Sauria, Lacertidae). – *Bull. Soc. Herp. France*, **80**: 5-8.
- DIAZ, J.A., D. BAUWENS & B. ASENSIO (1996): A comparative study of the relation between heating rates and ambient temperatures in lacertid lizards. – *Physiol. Zool.*, **69**: 1359-1383.

- DIAZ, J.A., R. DIAZ-URIARTE & J. RODRIGUEZ (1996): Influence of behavioral thermoregulation on the use of vertical surfaces by the Iberian wall lizards *Podarcis hispanica*. – *J. Herpetol.*, **30**: 548-552.
- DISI, A.M. & W. BÖHME (1996): Zoogeography of the amphibians and reptiles of Syria, with additional new records. – *Herpetozoa*, **9**: 63-70.
- GALAN, P. (1996): Reproductive and fat body cycles of the lacertid lizard *Podarcis bocagei*. – *Herpetol. J.*, **6**(1): 20-25.
- (1996): Infecciones externas en una población natural de desarrollo estacional de la enfermedad e incidencia en la mortalidad, reproducción y crecimiento. – *Amphibia-Reptilia*, **17**: 103-113.
- (1996): Sexual maturity in a population of the lacertid lizard *Podarcis bocagei*. – *Herpetol. J.*, **6**(3): 87-93.
- GONZÁLEZ, P., F. PINTO, M. NOGALES, J. JIMÉNEZ-ASENSIO, M. HERNÁNDEZ & V.M. CABRERA (1996): Phylogenetic relationships of the Canary Islands endemic lizard genus *Gallotia* (Sauria: Lacertidae), inferred from mitochondrial DNA sequences. – *Mol. Phylogenet. Evol.*, **6**: 63-71.
- GRAMENTZ, D. (1996): Zur Mikrohabitatsselektion und Antiprädationsstrategie von *Lacerta agilis* L., 1758 (Reptilia: Squamata: Lacertidae). – *Zool. Abh. Mus. Tierkd. Dresden*, **49**(5): 83-94.
- GÜNTHER, R. (1996 / Hrsg.): Die Amphibien und Reptilien Deutschlands. – Jena, Stuttgart, Lübeck, Ulm (G. Fischer), 825 S.
- HEIMES, P. (1996): Die Amphibien und Reptilien Pekings. Teil 1: Amphibien und Echsen. – *herpetofauna*, **18**(104): 28-34.
- HERREL, A., R. VAN DAMME & F. DE VREE (1996): Sexual dimorphism of head size in *Podarcis hispanica atrata*: Testing the dietary divergence hypothesis by bite force analysis. – *Netherlands J. Zool.*, **46**: 253-262.
- HODAR, J.A., F. CAMPOS & B.A. ROSALES (1996): Trophic ecology of ocellated lizard *Lacerta lepida* in an arid zone of southern Spain: relationships with availability and daily activity of prey. – *J. Arid Environments*, **33**: 95-107.
- JOGER, U. & M.R.K. LAMBERT (1996): Analysis of the herpetofauna of Mali, 1. Annotated inventory, with description of a new *Uromastyx* (Sauria: Agamidae). – *J. Afr. Zool.*, **110**: 21-51.
- KASAPIDIS, P., S. PROVATIDOU, P. MARAGOU & E.D. VALAKOS (1996): Neue Daten über die Herpetofauna von Lesbos (Ägäische Inseln, Griechenland) und einige biogeographische Bemerkungen über die Inseln des nordöstlichen ägäischen Archipels. – *Salamandra*, **32**(3): 171-180.
- KUMLUTAS, Y. (1996): Taxonomical studies on the populations of *Lacerta viridis* (Sauria: Lacertidae) in the Black Sea region. – *Turk. J. Zool.*, **20**(supplement): 223-247.
- KUZMIN, S.L. (1996): Amphibien und Reptilien in Städten – ein Situationsbericht aus der früheren UdSSR. – *herpetofauna*, **18**(103): 28-32.
- MARAGOU, P., E.D. VALAKOS, Z. GIANNOPoulos, A. STAVROPOULOU & B. CHONDROPOULOS (1996): Spring aspect of feeding ecology in *Podarcis peloponnesiaca* (BIBRON & BORY, 1833) (Squamata: Sauria: Lacertidae). – *Herpetozoa*, **9**: 105-110.
- MARCO, A. (1996): Sedentarism, home ranges and microhabitat selection of Schreiber's green lizard *Lacerta schreiberi*. – *Doñana Acta Vertebrata*, **23**: 45-61.

- MARTIN, J. (1996): Effect of recent feeding on locomotor performance of juvenile *Psammodromus algirus* lizards. – Functional Ecol., **10**: 390-395.
- MATEO, J.A., L.F. LOPEZ-JURADO & C.P. GUILLAUME (1996): Proteic and morphological variations in ocellated lizards (Lacertidae): a complex of species across the Strait of Gibraltar. – Comptes Rendus Acad. Sci. III, **319**: 737-746.
- MAYER, W. & O.J. ARRIBAS (1996): Allozyme differentiation and relationship among the Iberian-Pyrenean mountain lizards (Squamata: Sauria: Lacertidae). – Herpetozoa, **9**: 57-61.
- MAYER, W. & W. BISCHOFF (1996): Beiträge zur taxonomischen Revision der Gattung *Lacerta* (Reptilia: Lacertidae). Teil 1: *Zootoca*, *Omanosaura*, *Timon* und *Teira* als eigenständige Gattungen. – Salamandra, **32**(3): 163-170.
- MONTORI, A., G.A. LLORENTE, M.A. CARRETERO & L.F. LOPEZ-JURADO (1996): Recovery plan of the Hierro giant lizard. – Quercus, **128**: 18-22.
- MÜLLER, J. (1996): Angaben über einige Amphibien- und Reptilienfunde in Jordanien. – Sauria, **18**(3): 3-10.
- MURPHY, R.W., I.S. DAREVSKY, R.D. MACCULLOCH, J. FU & L.A. KUPRIANOVA (1996): Evolution of the bisexual species of Caucasian rock lizards: a phylogenetic evaluation of allozyme data. – Russ. J. Herpetol., **3**: 18-31.
- ODIERNA, G., G. APREA, O.J. ARRIBAS, T. CAPRIGLIONE, V. CAPUTO & E. OLMO (1996): The karyology of the Iberian rock lizards. – Herpetologica, **52**: 542-550.
- OLSSON, M., A. GULLBERG & H. TEGELSTROM (1996): Malformed offspring, sibling matings, and selection against inbreeding in the sand lizard (*Lacerta agilis*). – J. Evol. Biol., **9**: 229-242.
- ORLOVA, V.F. & A.I. KOSLOVSKII (1996): Heterochromosomes and NOR-localization in the common lizard, *Lacerta vivipara* JACQUIN, from Russia. – Russ. J. Herpetol., **3**: 191-195.
- PEREZ-QUINTERO, J.C. (1996): Reproductive characteristics of three Mediterranean lizards: *Psammodromus algirus* (L.), *Psammodromus hispanicus* FITZINGER and *Acanthodactylus erythrurus* (SCHINZ). – Amphibia-Reptilia, **17**: 197-208.
- RAHMEL, U. & S. RYKENA (1996): Untersuchungen zum modifikatorischen Einfluß der Eizeitigungstemperatur auf die Ausbildung von Schuppenmerkmalen bei der Zauneidechse (*Lacerta agilis* LINNAEUS, 1758). – Salamandra, **32**(2): 73-84.
- RAMADAN, N.F., M.F.A. SAoud, S.H. MOHAMMED & S.M. FAWZI (1996): *Haemogregarina damiettae* sp.n., a blood parasite of the lacertid *Acanthodactylus boskianus* in Egypt. – Acta Parasitol., **41**: 76-80.
- RETTER, J. (1996): Beobachtungen an Zauneidechsen. – Aquar.-Terrar.-Z., **49**(7): 436-440.
- RUITER, M. DE (1996): Zoos helfen: Das Zauneidechsen-Projekt in England. – Aquar.-Terrar.-Z., **49**(1): 6.
- RYKENA, S. (1996): Experimental interspecific hybridization of the genus *Lacerta*. – Isr. J. Zool., **42**: 171-184.
- SCHMIDTLER, H. & J.F. SCHMIDTLER (1996): Zur Reptilienfauna der nördlichen Kalkalpen zwischen Isar und Inn (Bayern/Tirol). – Mitt. LARS Bayern, **15**: 1-36.
- SCHLÜTER, U. (1996): Das Schlangenauge. – Das Aquarium, **322**(4/96): 26.
- (1996): Jacksons Gebirgsseidechse. – Das Aquarium, **323**(5/96): 26.

- SLEIJPEN, F. (1996): Ervaringen met de Madeira-muurhagedis (*Podarcis dugesii*). – *Lacerta*, **54**: 179-186.
- SWALLOW, J.G. & A.M. CASTILLA (1996): Home range area of the lizard *Podarcis hispanica atrata*. – *Herpetol. J.*, **6**(3): 100-102.
- TAKEDA, N. & H. OTA (1996): Description of a new species of *Takydromus* from the Ryukyu Archipelago, Japan, and a taxonomic redefinition of *T. smaragdinus* BOULENGER 1887 (Reptilia: Lacertidae). – *Herpetologica*, **52**: 77-88.
- TOK, C.V., I.E. CEVİK & A. SAYMAN (1996): On the samples of *Ophisops elegans* (Sauria: Lacertidae) collected from southwest Anatolia. – *Turk. J. Zool.*, **20**(supplement): 285-291.
- TOSINI, G. & R. AVERY (1996): Dermal photoreceptors regulate basking behaviour in the lizard *Podarcis muralis*. – *Physiology & Behaviour*, **59**: 195-198.
- (1996): Photoperiod affects thermoregulatory set point temperatures in the wall lizard *Podarcis muralis*. – *Amphibia-Reptilia*, **17**: 86-88.
- (1996): Pregnancy decreases set point temperatures for behavioral thermoregulation in the wall lizard *Podarcis muralis*. – *Herpetol. J.*, **6**(3): 94-96.
- VENCHI, A. & M.A. BOLOGNA (1996): *Lacerta parva* BOULENGER, a new lizard species for the European fauna. – *Amphibia-Reptilia*, **17**: 89-90.
- VENCES, M., F. GLAW & K. HIRSCHBERGER (1996): Auf der Suche nach roten Scheiben-zünglern. Herpetologische Eindrücke aus Korsika. – *Aquar.-Terrar.-Z.*, **49**(1): 44-47.
- WALTERS, G. (1996): Of Robins, Rats and Wall Lizards. – *Br. Herpetol. Soc. Bull.*, **57**: 26-28.
- WHITING, M.J. (1996): Lacertidae: *Heliobolus lugubris*, bushveld lizard, copulation. – *African Herp. News*, **25**: 39.
- XU, J. (1996): A new record of *Takydromus septentrionalis* in Shandong. – *Chin. J. Zool.*, **31**: 50.
- ZARI, T.A. (1996): Seasonal metabolic compensation in the fringe-toed lizard, *Acanthodactylus boskianus* (Reptilia: Lacertidae). – *J. Thermal Biol.*, **21**: 145-150.
-

- AMANN, T., S. RYKENA, U. JOGER, H.K. NETTMANN & M. VEITH (1997): Zur artlichen Trennung von *Lacerta bilineata* DAUDIN, 1802 und *L. viridis* (LAURENTI, 1768). – *Salamandra*, **33**(4): 255-268.
- ANGELICI, F.M., L. LUISELLI & L. RUGIERO (1997): Food habits of the green lizard, *Lacerta bilineata*, in central Italy and a reliability test of faecal pellet analysis. – *Ital. J. Zool.*, **64**: 267-272.
- ARNOLD, E.N. (1997): Interrelationships and evolution of the East Asian grass lizards, *Takydromus* (Squamata: Lacertidae). – *Zool. J. Linn. Soc.*, **119**: 267-296.
- BAEZ, M. & R.P. BROWN (1997): Testing multivariate patterns of within-island differentiation in *Podarcis dugesii* from Madeira. – *J. Evol. Biol.*, **10**: 575-587.
- BAHL, A., C. LAUE, B. MARTENS & M. PFENNINGER (1997): Effect of isolation barriers on the genetic structure of *Lacerta agilis* populations. – *Verh. Ges. Ökol.*, **27**: 101-105.
- BARAN, I., M. TOSUNOGLU, U. KAYA & Y. KUMLUTAS (1997): On the herpetofauna of the vicinity of Çamlıhemşin. – *Turk. J. Zool.*, **21**: 409-416.

- BARBADILLO, L.J. & D. BAUWENS (1997): Sexual dimorphism of tail length in lacertid lizards: test of a morphological constraint hypothesis. – J. Zool., **242**: 473-482.
- BARSCH, H. (1997): Spermienselektion bei der Zauneidechse. – Aquar.- Terrar.-Z., **50**(2): 74.
- BARTS, M. & W.D. HAACKE (1997): Zur Reptilienfauna der Tsodilo-Berge und angrenzender Gebiete in NW-Botswana – Teil I: Testudines: Testudinidae; Sauria I. – Sauria, **19**(1): 3-12.
- BAUWENS, D. & R. DIAZ-URIARTE (1997): Covariation of life-history traits in lacertid lizards: a comparative study. – Amer. Natur., **149**: 91-111.
- BEYHL, F.E. (1997): Zum Blütenbesuch von lacertiden Eidechsen auf den Inseln Madeira und El Hierro. – Salamandra, **33**(3): 213-218.
- BÖHME, W. (1997): A note on the gender of the genus *Podarcis* (Sauria: Lacertidae). – Bonn. Zool. Beitr., **47**: 187-188.
- BRUEKERS, J. (1997): Beobachtungen an einigen Echsen auf der Insel Menorca, Spanien. – Herpetofauna, **19**: 16-18.
- BUTTLE, D. (1997): Observations on Reptiles and Amphibians of Andros (Cyclades, Greece). – Br. Herpetol. Soc. Bull., **60**: 5-12.
- CAPULA, M. (1997): High genetic variability in insular populations of the lacertid lizard, *Podarcis muralis*. – Biochem. Syst. Ecol., **25**: 411-417.
- CARRETERO, M.A. & G.A. LLORENTE (1997): Reproduction of *Psammodromus algirus* in coastal sandy areas of NE Spain. – Amphibia-Reptilia, **18**: 369-382.
- CATTANEO, A. (1997): The herpetofauna of the Greek island of Skiathos (Northern Sporades). – Atti Soc. Ital. Sci. Natur. Mus. Civ. Milano, **136**: 145-156.
- CEVIK, I.E. & C.V. TOK (1997): A study on the samples of *Lacerta praticola* EVERSMANN, 1834 (Sauria: Lacertidae) in the vicinity of Derekoy (Kirkclareli). – Turk. J. Zool., **21**: 259-262.
- CHEN, X., J. WANG & D. GONG (1997): Diet of three species of lizard in the spring in Lanzhou. – Chin. J. Zool., **32**: 13-18.
- CHONDROPOULOS, B. & G. CHIRAS (1997): *Podarcis erhardii livadiaca* (Erhard's wall lizard) in central Greece. – Herpetol. Rev., **28**: 97.
- CLARK, R. (1997): The herpetofauna of the uninhabited islands of the Spetsai/Hydra Island Complex, Greece. – Br. Herpetol. Soc. Bull., **58**: 36-43.
- CROCHET, P.-A. (1997): Herpetological Observations in Southern Israel. – Br. Herpetol. Soc. Bull., **60**: 13-24.
- DAREVSKY, I.S. & B.S. TUNIYEV (1997): A new lizard species from *Lacerta saxicola* group – *Lacerta dryada* sp.nov. (Sauria, Lacertidae) and some comments relative to *Lacerta clarkorum* DAREVSKY et VEDMEDERNJA, 1977. – Russ. J. Herpetol., **4**: 1-7.
- DAS, I. & B. DATTAGUPTA (1997): Rediscovery of the holotypes of *Ophisops jerdoni* BLYTH, 1853 and *Barkudia insularis* ANNANDALE, 1917. – Hamadryad, **22**: 53-55.
- DENG, X. & Y. YIYUN (1997): Eight new record of lizard in Hunan Province. – Chin. J. Zool., **32**: 39-41.
- DRESCHER, R. (1997): Biometrische Untersuchungen an der Mauereidechse (*Podarcis muralis* LAURENTI, 1768) Österreichs, der westlichen und südlichen Balkanhalbinsel. – Diplomarbeit, Univ. Wien, pp. 1-98.

- ELBING, K. (1997): Comments on overlapping activity areas in sand lizards (*Lacerta agilis*). – Z. Feldherpetol., **4**: 93-100.
- FARKAS, B. & B. BUZÁS (1997): Herpetologische Beobachtungen in den Nordalbanischen Alpen. – herpetofauna, **19**(109): 10-18.
- FERWERDA, W.H. (1997): *Gastropholis prasina*, een boombewonene hagedis uit Kenia. – Lacerta, **55**: 221-223.
- FU, J.Z., R.W. MURPHY & I. DAREVSKY (1997): Toward the phylogeny of caucasian rock lizards: implications from mitochondrial DNA sequences (Reptilia: Lacertidae). – Zool. J. Linn. Soc., **121**: 463-477.
- GALAN, P. (1997): Reproductive ecology of the lacertid lizard *Podarcis bocagei*. – Ecography, **20**: 197-209.
- GASC, J.-P., A. CABEZA, J. CRNOBRNJA-ISAILOVIC, D. DOLMEN, K. GROSSENBACHER, P. HAFFNER, J. LESCURE, H. MARTENS, J.P. MARTÍNEZ RICA, H. MAURIN, M.E. OLIVEIRA, T.S. SOFIANIDOU, M. VEITH & A. ZUIDERWIJK (1997 / eds.): Atlas of Amphibians and reptiles in Europe. – Paris (S. E. H. and Mus. Nat. d'Hist. Nat.), 494 pp.
- GOUILLAUME, C.P., B. HEULIN & V. BESHKOV (1997): Biogeography of *Lacerta (Zootoca) vivipara*: reproductive mode and enzyme phenotypes in Bulgaria. – Ecography, **20**: 240-246.
- GRECHKO, V.V., L.V. FEDOROVA, A.N. FEDOROV, S.Y. SLOBODYANYUK, D.M. RYABININ, M.N. MELNIKOVA, A.A. BANNIKOVA, A.A. LOMOV, V.A. SHEREMET'EVA, V.A. GORSHKOV, G.A. SEVOSTYANOVA, S.K. SEMENOVA, A.P. RYSKOV, B.M. MEDNIKOV & I.S. DAREVSKY (1997): Restriction endonuclease analysis of highly repetitive DNA as a phylogenetic tool. – J. Mol. Evol., **45**: 332-336.
- GRECHKO, V.V., D.M. RYABININ, L.V. FEDOROVA, A.N. FEDOROV, A.P. RYSKOV & I.S. DAREVSKY (1997): Parentage of Caucasian parthenogenetic rock lizard species (*Lacerta*) as revealed by restriction endonuclease analysis of highly repetitive DNA. – Amphibia-Reptilia, **18**: 407-418.
- GULLBERG, A., M. OLSSON & H. TEGELSTROM (1997): Male mating success, reproductive success and multiple paternity in a natural population of sand lizards: behavioural and molecular genetics data. – Mol. Ecol., **6**: 105-112.
- HERNANDEZ, E., W. BISCHOFF, B. BANNERT & M. SIVERIO (1997): »Rieseneidechsen« auf Teneriffa. – Herpetofauna, **19**(109): 19-24.
- HEULIN, B., K. OSENEGG-LECONTE & B. MICHEL (1997): Demography of a bimodal reproductive species of lizard (*Lacerta vivipara*): Survival and density characteristics of viviparous populations. – Herpetologica, **53**: 432-444.
- KUPRIYANOVA, L.A. (1997): Some cytogenetical regular trends in reticular (hybridogenous) speciation in unisexual lizards (Reptilia: Lacertilia) and other groups of vertebrates. – Tsitologiya, **39**: 1089-1108.
- (1997): Is the baltic sea basin a zone of secundary contact between different chromosomal forms of *Zootoca vivipara*? – Mem. Soc. Fauna Flora Fennica, **73**: 115-117.
- LARGEN, M.J. (1997): An annotated checklist of the amphibians and reptiles of Eritrea, with keys for their identification. – Trop. Zool., **10**: 63-115.
- LEPTIEN, R. (1997): *Omanosaura* – die Eidechsen der Omanberge. – Aquar.- Terrar.-Z., **50**(12): 788-791.

- LOEHR, V. (1997): Herpetologische waarnemingen in Zuid-Afrika en Namibië. – *Lacerta*, **55**: 187-200. [Achtung: Die als '*Pedioplanis undata undata*' vorgestellte Eidechse stellt nicht diese Art, sondern *Meroles suborbitalis* mit einer für die zentrale Namib typischen Zeichnung dar!]
- LOPEZ-JURADO, L.F., J.A. MATEO & C.P. GUILLAUME (1997): El complejo *Gallotia galloti* (OUDART, 1839) (Sauria: Lacertidae) de las Islas Canarias: nuevos datos para la interpretación del proceso evolutivo del grupo. – *Rev. Esp. Herp.*, València, **11**: 35-46.
- MACCULLOCH, R.D., R.W. MURPHY, J. FU, I.S. DAREVSKY & F. DANIELYAN (1997): Disjunct habitats as islands: genetic variability in the Caucasian rock lizard *Lacerta portschinskii*. – *Genetica*, **101**: 41-45.
- MACCULLOCH, R.D., R.W. MURPHY, L.A. KUPIRIANOVA & I.S. DAREVSKY (1997): The caucasian rock lizard *Lacerta rostombekovi*: a monoclonal parthenogenetic vertebrate. – *Biochem. Syst. Ecol.*, **25**: 33-37.
- MAJLATH, I., B. SMAJDA & M. KUNDRAT (1997): Biometric analysis of morphological traits in sand lizard (*Lacerta agilis*) from East Slovakia. – *Folia Zool.*, **46**: 253-262.
- MALKMUS, R. (1997): Beitrag zur Verbreitung der Amphibien und Reptilien des Transguadianalandes (Portugal) (Amphibia et Reptilia). – *Faun. Abh. Mus. Tierkd. Dresden*, **21**(6): 115-129.
- MÁRQUEZ, R., D. CEJUDO & V. PÉREZ-MELLADO (1997): Selected body temperatures of four lacertid lizards from the Canary Islands. – *Herpetol. J.*, **7**(3): 122-124.
- MARTIN, J. & R.A. AVERY (1997): Tail loss affects prey capture ‘decisions’ in the lizard *Psammodromus algirus*. – *J. Herpetol.*, **31**: 292-295.
- MARTIN, J. & A. SALVADOR (1997): Effects of tail loss on the time-budgets, movements, and spacing patterns of Iberian rock lizards, *Lacerta monticola*. – *Herpetologica*, **53**: 117-125.
- (1997): Microhabitat selection by the Iberian rock lizard *Lacerta monticola*: effects on density and spatial distribution of individuals. – *Biol. Conservation*, **79**: 303-307.
- MATEO, J.A. & L.F. LOPEZ-JURADO (1997): Dental ontogeny in *Lacerta lepida* (Sauria, Lacertidae) and its relationship to diet. – *Copeia*, **1997**: 461-463.
- MOLINA-BORJA, M., M. PADRON-FUMERO & T. ALFONSO-MARTIN (1997): Intrapopulation variability in morphology, coloration, and body size in two races of the lacertid lizard, *Gallotia galloti*. – *J. Herpetol.*, **31**: 499-507.
- MURPHY, R.W., I.S. DAREVSKY, R.D. MACCULLOCH, J. FU, L.A. KUPIRIANOVA, D.E. UPTON & F. DANIELYAN (1997): Old age, multiple formations or genetic plasticity? Clonal diversity in the uniparental Caucasian rock lizard, *Lacerta dahli*. – *Genetica*, **101**: 125-130.
- OLSSON, M., A. GULLBERG & H. TEGELSTROM (1997): Determinants of breeding dispersal in the sand lizard, *Lacerta agilis*, (Reptilia, Squamata). – *Biol. J. Linn. Soc.*, **60**: 243-256.
- OLSSON, M. & B. SEVERIN (1997): Effects of growth rate on variation in breeding coloration in male sand lizards (*Lacerta agilis*: Sauria). – *Copeia*, **1997**: 456-460.
- OLSSON, M. & R. SHINE (1997): The seasonal timing of oviposition in sand lizards (*Lacerta agilis*): Why early clutches are better. – *J. Evol. Biol.*, **10**: 369-381.
- (1997): The limits to reproductive output: offspring size versus number in the sand lizard (*Lacerta agilis*). – *Amer. Natur.*, **149**: 179-188.
- (1997): Advantages of multiple matings for females: a test of infertility hypothesis using lizards. – *Evolution*, **51**: 1684-1688.

- PALANCA, A., J. REY, A. RIOBO & M. VENES (1997): Parapatry of two lizard species (*Podarcis muralis*, *Lacerta bonnali*) at Circo de Piedrafita (Alto Aragon, Pyrenees, Spain). – Z. Feldherpetol., **4**: 208-210.
- PEREZ-MELLADO, V., C. CORTI & P. LOCASCIO (1997): Tail autotomy and extinction in Mediterranean lizards. A preliminary study of continental and insular populations. – J. Zool., **243**: 533-541.
- RANDO, J.C., E. HERNÁNDEZ, M. LOPEZ & A.M. GONZÁLEZ (1997): Phylogenetic relationships of the Canary islands endemic genus *Gallotia* from mitochondrial DNA sequences: incorporation of a new subspecies. – Mol. Phylogenet. Evol., **8**: 114-116.
- RASTEGAR-POUYANI, N. & G. NILSON (1997): A new species of *Eremias* (Sauria: Lacertidae) from Fars province, south-central Iran. – Russ. J. Herpetol., **4**: 94-101.
- REAL, R., J.M. PLEGUEZUELOS & S. FAHD (1997): The distribution patterns of reptiles in the Rif region, northern Morocco. – Afr. J. Ecol., **35**: 312-325.
- RÖDEL, M.-O., K. GRABOW, J. HALLERMANN & C. BÖCKHELLER (1997): Die Echsen des Comoé-Nationalparks, Elfenbeinküste. – Salamandra, **33**(4): 225-240.
- ROSS, D., R.D. MACCULLOCH, I.S. DAREVSKY, R.W. MURPHY & J. FU (1997): Allozyme variation and population substructuring in the caucasian ground lizards *Lacerta derjugini* and *Lacerta praticola*. – Russ. J. Herpetol., **4**: 115-119.
- ROSS, N. (1997): Over ondersorten van de Pityusenhagedis (*Podarcis pityusensis*) en de Balearenhagedis (*Podarcis lilfordi*). – Lacerta, **56**: 24-28.
- RUGIERO, L. (1997): Tail loss and escape behaviour in the common wall lizard *Podarcis muralis* LAURENTI, 1768. A preliminary analysis. (Squamata: Sauria: Lacertidae). – Herpetozoa, **10**: 149-152.
- SCHLÜTER, U. (1997): Schwarze Rhodos-Mauereidechse gefunden. – Aquar.- Terrar.-Z., **50**(6): 409.
- SCHMIDT, A.D. (1997): Zur wachstumsbedingten Entwicklung von Färbung und Biometrie bei *Heliobolus lugubris* (A. SMITH, 1838) (Sauria: Lacertidae). – Sauria, **19**: 35-45.
- (1997): Phänotypische, ethologische und ökologische Unterschiede zwischen juvenilen und adulten *Heliobolus lugubris* A. SMITH, 1838 und deren biologischer Hintergrund (Reptilia: Sauria: Lacertidae). – Senckenb. Biol., **77**: 1-13.
- (1997): Zur Verbreitung, Biologie und Ökologie von *Heliobolus lugubris* A. SMITH, 1838 (Sauria, Lacertidae) im südlichen Afrika. – Salamandra, **33**(4): 269-288.
- SCHMIDTLER, J.F. (1997): Die Zwergnattern (*Eirenis modestus*-Komplex) des Antitaurus in Süd-Anatolien und ihre geographischen Beziehungen zur begleitenden Herpetofauna. – Salamandra, **33**(1): 33-60.
- TOK, C.V., Y. KUMLUTAS & O. TURKOZAN (1997): On specimens of *Ophisops elegans* MENETRIES 1832, (Sauria; Lacertidae) collected from Hatay, Turkey. – Turk. J. Zool., **21**: 195-203.
- TOME, S. (1997): *Podarcis sicula hadzii* BRELIH, 1961 – eine ausgestorbene Unterart der Ruineneidechse. – Salamandra, **33**(2): 153-155.
- VOGRIN, N. (1997): An Overview of the Herpetofauna of Slovenia. – Br. Herpetol. Soc. Bull., **58**: 26-35.
- (1997): On the herpetofauna of Lake Vrana and its vicinity (Dalmacia, Croatia) (Amphibia, Reptilia). – Herpetozoa, **10**: 85-88.
- WINDEN, J. VAN DER, S. BOGAERTS & H. STRUIJBOSCH (1997): Herpetofauna des Göksu Deltas und des umliegenden Gebirges, Türkei. – Salamandra, **33**(1): 9-24.

- YAN, Y., X. LIU & Y. LIU (1997): Correlation between the body temperature of *Eremias multiocellata* and spring environmental factors. – Chin. J. Zool., **32**: 10-13.
- ZIEGLER, T. & A. MERTEN (1997): Die Herpetofauna von Zypern (Teil 1). – Aquar.-Terrar.-Z., **50**(1): 18-21.

Nachtrag 1994:

- CRNOBRNJA, J., G. DZUKIC, I. ALEKSIC, L. VUJICIC & AVRAMOV (1994): Distribution and genetic variation of the common wall lizard (*Podarcis muralis*, Lacertidae) populations from Lake Skadar: preliminary results. – Bios (Thessaloniki), **2**: 275-286.
- RÖDEL, M.-O. (1994): Beiträge zur Kenntnis der Verbreitung, Habitatwahl und Biologie griechischer Amphibien und Reptilien: Daten aus 7 Exkursionen von 1987 bis 1991 (Amphibia et Reptilia). – Faun. Abh. Mus. Tierkd. Dresden, **19**(29): 227-246.
- TRUWELLER, K.A., A.N. MAKAROV & V.F. ORLOVA (1994): Method of the simplified evaluation of genetic differentiation of the Asian *Eremias* lizards (Sauria: Lacertidae). – Russ. J. Herpetol., **1**: 133-142.

Nachtrag 1995:

- ANANJEVA, N.B. (1995): Comparative analysis of body size in five sympatric species of desert lizards (*Eremias*, Sauria) of southern Balkhash region. – Selevinia, **3**: 3-10.
- BRANCH, W.R. & A.M. BAUER (1995): Herpetofauna of the Little Karoo, western Cape, South Africa with notes on life history and taxonomy. – Herpetol. Nat. Hist., **3**(1): 47-89.
- GENIEZ, P. & A. FOUCART (1995): Un nouvel Acanthodactyle en Algérie: *Acanthodactylus taghitensis* n.sp. (Reptilia, Sauria, Lacertidae). – Bull. Mus. natl. Hist. nat., Paris, 4^e sér., **17**(1-2): 3-9.
- GRAMENTZ, D. (1995): Zur Mobilität und Antiprädationsstrategie von *Lacerta agilis* LINNAEUS, 1758 (Reptilia: Squamata: Lacertidae). – Zool. Abh. Mus. Tierkd. Dresden, **48**(16): 279-292.
- KUPRIYANOVA, L.A., C. ANDREN & G. NILSON (1995): Distribution of different chromosomal forms of *Lacerta vivipara* in the Baltic Sea basin. – Mem. Soc. Faun. Flor. Fennica, **71**: 96-97.
- RUGIERO, L. (1995): Winter activity of a common wall lizard (*Podarcis muralis*) population in central Italy. – Russ. J. Herpetol., **2**: 148-152.
- SCHMIDT, A. (1995): Mimikry zwischen Wüsteneidechsen und Wüstenlaufkäfern. – elaphe (N.F.), **3**(3): 74-75.
- TOSINI, G., S. JONES & R. AVERY (1995): Infra-red irradiance and set point temperatures in behaviorally thermoregulating lacertid lizards. – J. Thermal Biol., **20**: 497-503.
- VERMA, A.K. & D.N. SAHI (1995): Distribution and ecology of the lizards of Jammu and Kashmir State, part: Lacertidae. – Cobra (Madras), **19**: 1-5.