

## Lacertidae-Literatur 1999

Zusammengestellt von WERNER MAYER (Wien) und WOLFGANG BISCHOFF (Bonn)

- ARRIBAS, O.J. (1999): Taxonomic revision of the Iberian „Archaeolacertae“ II: Diagnosis, morphology, and geographic variation of ‘*Lacerta aurelioii*’ ARRIBAS, 1994. – Herpetozoa, Wien, **11**(3/4): 155-180.
- (1999): New data on the Peña de Francia Mountain Lizard ‘*Lacerta cyrenii martinezricai*’ ARRIBAS, 1996. – Herpetozoa, Wien, **12**(3/4): 119-128.
- BANNIKOVA, A.A., A.A. LOMOV, A.P. RYSKOV & I.S. DAREVSKY (1999): Variable and invariable DNA repeat characters revealed by taxonprint approach are useful for molecular systematics. – J. Mol. Evol., **48**: 69-76.
- BARBADILLO, L.J., J.I. LACOMBA, V. PÉREZ-MELLADO, V. SANCHO & L.F. LÓPEZ-JURADO (1999): Anfibios y Reptiles de la Península Ibérica, Baleares y Canarias. – Barcelona (Editorial Planeta), 419 pp.
- BARRET, C. (1999): The continuing story of lizard hill. – Brit. Herpetol. Soc. Bull., Loughton, **70**: 7-10.
- BAUWENS, D. (1999): Life-history variation in lacertid lizards. – Nat. Croat., Zagreb, **8**: 239-252.
- BEYERLEIN, P. & W. MAYER (1999): *Lacerta kulzeri* – its phylogenetic relationships as indicated by DNA sequences. – Nat. Croat., Zagreb, **8**: 181-187.
- BISCHOFF, W. (1999): Bemerkungen zu den Ergebnissen des Symposiums „Plan de Recuperación del Lagarto Gigante del Hierro“. – In: LÓPEZ JURADO, L.F. & J.A. MATEO MIRAS (eds.): El Lagarto Gigante de El Hierro: Bases para su conservación. – Monografías de Herpetología, Las Palmas de Gran Canaria, **IV**: 265-266.
- BISCHOFF, W. & J. MÜLLER (1999): Revision des levantinischen *Lacerta laevis/kulzeri*-Komplexes: 2. Die Petra-Eidechse *Lacerta kulzeri petraea* ssp.n. – Salamandra, Rheinbach, **35**(4): 243-254.
- BISCHOFF, W. & J.F. SCHMIDTLER (1999): New data on the distribution, morphology and habitat choice of the *Lacerta laevis-kulzeri* complex. – Nat. Croat., Zagreb, **8**: 211-222.
- BÖHME, M. (1999): Die miozäne Fossil Lagerstätte Sandelhausen. 16. Fisch- und Herpetofauna - Vorläufige Ergebnisse. – Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen, **214**: 487-495.
- BÖHME, W., B. HEULIN & W. BISCHOFF (1999): First data on a second oviparous population of the viviparous lizard *Zootoca vivipara* JACQUIN, 1787 (Squamata: Lacertidae) from Slovenia. – Abstr. 10th Ord. Gen. Meet. SEH, Iraklion (Nat. Hist. Mus. Crete), pp. 34-35.
- BORSUK-BIALYNICKA, M., M. LUBKA & W. BÖHME (1999): A lizard from Baltic amber (Eocene) and the ancestry of the crown group lacertids. – Acta Palaeont. Polonica, **44**: 349-382.
- BOSCH, H.A.J. IN DEN (1999): Jongen zonder paring: *Lacerta armeniaca* en *Lacerta unisexualis*. – Lacerta, **57**(3): 80-90.

- (1999): Die Eidechsen des Mount Hermon im Biotop mit ersten Daten zur Fortpflanzung. – elaphe, Rheinbach, **7**(4): 68-75.
- (1999): The status of *Lacerta mostoufii* BALOUTCH, 1977 (Reptilia: Lacertidae). – Zool. Middle East, Heidelberg, **19**: 13-15.
- CAPIZZI, D. (1999): Preliminary data on food habits of an Alpine population of Horvath's Rock Lizard *Lacerta horvathi* MÉHELY, 1904. – Herpetozoa, Wien, **11**(3/4): 117-120.
- CARRANZA, S., E.N. ARNOLD, R.H. THOMAS, J.A. MATEO & L.F. LÓPEZ-JURADO (1999): Status of the extinct giant lacertid lizard *Gallotia simonyi simonyi* (Reptilia: Lacertidae) assessed using mtDNA sequences from museum specimens. – Herpetol. J., London, **9**(2): 83-86.
- CASTILLA, A.M., R. VAN DAMME & D. BAUWENS (1999): Field body temperatures, mechanisms of thermoregulation and evolution of thermal characteristics in lacertid lizards. – Nat. Croat., Zagreb, **8**: 253-274.
- CLARK, R. (1999): Herpetofauna of Thassos, north Aegean sea, Greece. – Brit. Herpetol. Soc. Bull., Loughton, **66**: 14-18.
- COOPER, W.E. (1999): Supplementation of phylogenetically correct data by two-species comparison: support for correlated evolution of foraging mode and prey chemical discrimination in lizards extended by first intrageneric evidence. – Oikos., **87**: 97-104.
- COOPER, W.E. & M.J. WHITING (1999): Foraging modes in lacertid lizards from southern Africa. – Amphibia-Reptilia, Leiden, **20**: 299-311.
- CORTI, C. & P. LO CASCIO (1999): I Lacertidi Italiani. – Palermo (L'Epos), 89 pp.
- CORTI, C., W. BÖHME, M. DELFINO & M. MASSETI (1999): Man and lacertids on the Mediterranean islands: Conservation perspectives. – Nat. Croat., Zagreb, **8**: 287-300.
- DAREVSKY, I.S. & E.S. ROITBERG (1999): A new subspecies of the rock lizard *Lacerta caucasica* (Sauria, Lacertidae) from the south-east of Chechen Republik on the Caucasus. – Russ. J. Herpetol., Moskau, **6**(3): 209-214.
- FRAZENZ, M. & U. HECKES (1999): *Eremias suphani* BAOLU & HELLMICH, 1968 und *Eremias strauchi* KESSLER, 1878 in der östlichen Türkei: Diagnostische Merkmale, Verbreitung und Lebensräume (Sauria: Lacertidae). – Salamandra, Rheinbach, **35**(4): 255-266.
- GALAN, P. (1999): Demography and population dynamics of the lacertid lizard *Podarcis bocagei* in north-west Spain. – J. Zool., **249**: 203-218.
- GOVINDIK, L. (1999): Colour polymorphism in a population of the common lizard, *Zootoca vivipara* (Squamata: Lacertidae). – Folia Zool., **48**: 131-136.
- (1999): Hypomelanism in the sand lizard *Lacerta agilis* (Squamata: Lacertidae). – Brit. Herpetol. Soc. Bull., Loughton, **70**: 20-22.
- HARRIS, D.J. (1999): Molecular systematics and evolution of lacertid lizards. – Nat. Croat., Zagreb, **8**: 161-180.
- HARRIS, D.J. & E.N. ARNOLD (1999): Relationships of wall lizards, *Podarcis* (Reptilia: Lacertidae) based on mitochondrial DNA sequences. – Copeia, **1999**: 749-754.

- HARRIS, D.J., E.N. ARNOLD & R.H. THOMAS (1999): A phylogeny of the European lizard genus *Algyrodes* (Reptilia: Lacertidae) based on DNA sequences, with comments on the evolution of the group. – J. Zool., **249**: 49-60.
- HARRIS, D.J., E.A. SINCLAIR, N.L. MERCADER, J.C. MARSHALL & K.A. CRANDALL (1999): Squamate relationships based on C-MOS nuclear DNA sequences. – Herpetol. J., London, **9**(4): 147-151.
- JI, X. & F. BRAÑA (1999): The influence of thermal and hydric environments on embryonic use of energy and nutrients, and hatchling traits, in the wall lizards (*Podarcis muralis*). – Comp. Biochem. Physiol., A, **124**: 205-213.
- LAMBERT, M.R.K. & D. COGALNICEANU (1999): Preliminary observations addressing herpetofaunal diversity in southern Romania (August 1997). – Brit. Herpetol. Soc. Bull., Loughton, **68**: 31-35.
- MARAGOU, P., B.P. CHONDROPOULOS & E.D. VALAKOS (1999): Comparative data on reproduction in *Podarcis erhardii*, *Podarcis peloponnesiaca*, and *Podarcis taurica* (Reptilia, Sauria, Lacertidae). – Israel J. Zool., **45**: 487-496.
- MAŁAK, R. & L. PAŁKO (1999): Predators of the common lizard (*Zootoca vivipara*) in an habitat of forest glade in sw Poland. – Brit. Herpetol. Soc. Bull., Loughton, **67**: 39-48.
- MAYER, W. & P. BEYERLEIN (1999): Ecological niche segregation of seven sympatric lacertid lizards in the Peloponnese highlands. – Nat. Croat., Zagreb, **8**: 339-344.
- MAZZOTTI, S. (1999): Climatic and environmental influences on the distribution of lacertid lizards in the southern Po river basin (Northern Italy). – Nat. Croat., Zagreb, **8**: 201-210.
- MUTZ, T., M. MUTZ & F.J. OBST (1999): Herpetologische Impressionen von Sardinien. – elaphe, Rheinbach, **7**(3): 76-80.
- OPPLIGER, A., R. VERNET & M. BAEZ (1999): Parasite local maladaptation in the Canarian lizard *Gallotia galloti* (Reptilia: Lacertidae) parasitized by haemogregarine blood parasite. – J. Evol. Biol., **12**: 951-955.
- PÉREZ-MELLADO, V. & A. TRAVESET (1999): Relationships between plants and Mediterranean lizards. – Nat. Croat., Zagreb, **8**: 275-285.
- PÉREZ-MELLADO, V., E.D. VALAKOS, M.J. GIL, F. GUERRERO, J. LULCH, P. NAVARRO & P. MARAGOU (1999): Herpetological notes from mainland and insular Greece. – Brit. Herpetol. Soc. Bull., Loughton, **67**: 33-38.
- PERRY G. (1999): The evolution of search modes: Ecological versus phylogenetic perspectives. – Amer. Natur., **153**: 98-109.
- ROITBERG, E.S. (1999): Phenetic relationships between *Lacerta caucasica*, *L. daghستانica* and *L. praticola* (Reptilia, Lacertidae): A multivariate trend in externe morphology. – Nat. Croat., Zagreb, **8**: 189-200.
- SALVADOR, A., J.P. VEIGA & E. CIVANTOS (1999): Do skin pockets of lizards reduce the deleterious effects of ectoparasites? An experimental study with *Psammodromus algirus*. – Herpetologica, **55**: 1-7.
- SÁ-SOUZA, P. (1999): New data on the distribution of *Podarcis bocagei carbonelli* PÉREZ-MELLADO, 1981 in Portugal. – Herpetozoa, Wien, **12**(1/2): 87-90.

- SCHÄTTI, B. & A. DESVOIGNES (1999): The herpetofauna of southern Yemen and the Sokotra archipelago. – Genf (Mus. d'hist. nat.), 178 pp.
- SCHMIDTLER, J.F. (1999): Notes on the altitudinal distribution of lizards and some other reptiles on mount Biokovo (Croatia) and its immediate surroundings. – Nat. Croat., Zagreb, **8**: 223-237.
- SCHMIDTLER, J.F. & W. BISCHOFF (1999): Revision des levantinischen *Lacerta laevis/kulzeri*-Komplexes: 1. Die Felseneidechse *Lacerta cyanisparsa* sp.n. – Salamandra, Rheinbach, **35**(3): 129-146.
- SEHNAL, P. (1999): Zur Individuendichte der Adriatischen Mauereidechse, *Podarcis melisellensis fiumana* (WERNER, 1891) auf Weideflächen südwestlich von Srem (Cres, Kroatien). – Herpetozoa, Wien, **12**(3/4): 157-160.
- SEHNAL, P. & A. SCHUSTER (1999): Herpetologische Beobachtungen auf der Quarnerinsel Cres, Kroatien. Ergebnisse von fünf Exkursionen. – Herpetozoa, Wien, **12**(3/4): 163-178.
- STRIJBOSH, H. (1999): Importance of rivers in shaping original Euro-Mediterranean lizard habitats. – Nat. Croat., Zagreb, **8**: 331-337.
- TOSUNLU, M., B. GÖÇMEN, E. TA KAVAK & A. BUDAK (1999): A serological comparison of the populations of the *Lacerta laevis* complex in northern Cyprus and southern Turkey. – Zool. Middle East, Heidelberg, **19**: 117-122.
- VAN DAMME, R. (1999): Evolution of herbivory in lacertid lizards: Effects of insularity and body size. – J. Herpetol., **33**: 663-674.
- VANHOYDONCK, B. & R. VAN DAMME (1999): Evolutionary relationships between body shape and habitat use in lacertid lizards. – Evol. Ecol. Research, **1**: 785-805.
- VOGRIN, N. (1999): Preliminary note on the morphometric differences between populations of *Podarcis muralis muralis* (LAURENTI, 1768). – Nat. Croat., Zagreb, **8**: 325-329.
- ZIEGLER, T. & W. BISCHOFF (1999): *Takydromus (Platyplacopus) kuehnei vietnamensis* ssp.n., eine neue Schnellläufereidechsen-Unterart aus Vietnam (Reptilia: Squamata: Lacertidae). – Salamandra, Rheinbach, **35**(4): 209-226.
- ZIEGLER, T., W. BÖHME & W. BISCHOFF (1999): Comments on the grass lizards (Lacertidae: *Takydromus*) of Vietnam and Myanmar. – Hamadryad, Madras, **24**(1): 39-42.

Diese Aufstellung erhebt keinen Anspruch auf Vollständigkeit. Die in der „Eidechse“ publizierten Arbeiten wurden hier nicht berücksichtigt.